

NASA-CR-191949

P 1/1 1/2

ABSTRACT ASRM PROCESS DEVELOPMENT IN AQUEOUS CLEANING

BILL SWISHER - AEROJET ASRM DIVISION
1 NASA DRIVE, IUKA, MS 38852
PHONE: (601) 423-0855

1N-20-CR

8 DECEMBER 1992

Process development in aqueous cleaning is taking place at the Aerojet Advanced Solid Rocket Motor (ASRM) Division under a NASA Marshall Space and Flight Center contract for design, development, test and evaluation of the ASRM including new production facilities. Lockheed Missiles and Space Company and Aerojet have formed a team partnership. Lockheed, as prime contractor, is providing systems engineering and integration and facility construction with overall responsibility and accountability for the project. Aerojet, as a subcontractor, is heading the propulsion design, development, and manufacturing of the new booster. The ASRM will utilize aqueous cleaning in several manufacturing process steps to clean case segments, nozzle metal components, and igniter closures. ASRM manufacturing process development is underway, including agent selection, agent characterization, subscale process optimization, bonding verification, and scale-up validation.

After a literature search and screening demonstrations of 11 aqueous cleaning agents, three agents (Turco 3878 LF-NC, Daraclean 283, and Blue Gold) were chosen for cleaning ability demonstrations. As a result, Turco 3878 LF-NC has been selected for further process testing. Process parameters are currently being tested for optimization utilizing a Taguchi Matrix, including agent concentration, cleaning solution temperature, agitation and immersion time, rinse water amount and temperature, and use/non-use of drying air.

Based on results of process development testing to date, several observations are offered:

- Aqueous cleaning appears effective for steels and SermeTel-coated metals in ASRM processing.
- Aqueous cleaning agents may stain and/or attack bare aluminum metals to various extents. Effects have not been characterized.
- Aqueous cleaning appears unsuitable for thermal sprayed aluminum-coated steel.
- Aqueous cleaning appears to adequately remove a wide range of contaminants from flat metal surfaces, but supplementary assistance may be needed to remove clumps of tenacious contaminants embedded in holes, etc.
- Hot rinse water appears to be beneficial to aid in drying of bare steel and retarding oxidation rate.

In summary, process development in aqueous cleaning for the ASRM Project is progressing satisfactorily. An agent has been selected and subscale process optimization is in progress. Aqueous cleaning has been demonstrated at the lab scale to be an effective alternative to vapor degreasing. The Aerojet ASRM Division and the entire ASRM Team are committed to successful activation of full-scale aqueous cleaning processes.

(NASA-CR-191949) ASRM PROCESS
DEVELOPMENT IN AQUEOUS CLEANING
(Lockheed Missiles and Space Co.)
26 p

N93-21355

Unclass

GENCORP
AERODJET
ASRM Division

ASRM Process Development In Aqueous Cleaning

Bill Swisher

December 8, 1992

GENCORP
AEROJET
ASRM Division

Aqueous Cleaning Development

Overview

- **Purpose And Logic**
- **Cleaning Agent Selection**
- **Process Optimization**

GENCORP
AEROMET
ASRM Division

Purpose And Logic

ASRM Aqueous Cleaning

- **Case Segments**
 - HP9Ni-4Co-0.3C Steel
- **Nozzle**
 - D6AC Steel
 - Coatings TSA Or Sermetel 64-1
- 7050/7075 Aluminum
 - Coating Sermetel 1207/1208
- **Igniter Closure**
 - HP9Ni-4Co-0.3C Steel

GENCORP
AEROSPACE
ASRM Division

Purpose And Logic


Yellow Creek



LENACORP
AERONET
ASPM Division

Facility


Purpose And Logic



LENACORP
AEROSPACE
ASRM Division

ASRM


Purpose And Logic



GENCORP
AEROSJET
ASRM Division

Purpose And Logic

ASRM Cleaning Processes Flow





7

GENCORP
AERONET
 ASRM Division

Purpose And Logic

Development Testing Logic

ASRM Manufacturing Process Development Specification TM05528



**GENCORP
AEROSPACE**

ASRM Division

Agent Selection

Task 1 - Screening Demonstration Test

- Literature Search Inconclusive
- Eleven Candidates Tested For Corrosion And Bonding Effects With D6AC and HP9-4-.30 Steel
 - Turco 3878 LF-NC
 - Daraclean 282
 - Brulin 815GD
 - Cortec 419
 - Turco 6778
 - Duraclean 283
 - HurriSafe Special
 - Blue Gold
 - Turco 4215
 - Gillite 0650
 - HurriSafe Heavy Duty
- Cleanliness And Compatibility Comparison
 - CONSCAN Readings At 2 Hours And 24 Hours (Storage In Nitrogen)
- Bond In Tension Comparison
 - Steel - Chenlok - EPDM Insulation
- Goal To Select Three Agents For Further Testing

**LENCORP
AEROJET**
ASRM Division

Task 1 - Screening Demonstration Test (Cont'd)

Results

- **No Candidate Agent Performed Definitively Above Others**
 - No Adverse Corrosion Or Compatibility Reactions
 - None Caused Lowered CONSCAN Readings
 - Bond Strengths Similar
- **Three Agents Selected**
 - **Turco 3878 LF-NC (Turco, Inc.)**
 - Emulsion Cleaning History By Aerojet Propulsion Division
 - **Daraclean 283 (W.R. Grace Co.)**
 - History Cleaning Small Parts In Industry
 - **Blue Gold (Modern Chemical Co.)**
 - Emulsion Cleaning History By Martin Marietta Space Vehicle Division

**GENCORP
AEROSOL**

ASRM Division

Agent Selection

Task 2A - Cleaning Ability Test

- **Three Agents Tested For Down Selection**
 - Turco 3878 LF-NC
 - Daraclean 283
 - Blue Gold
- **Several Basis Metals Tested**
 - HP9-4-.30, TSA 4130 Steel, And Sermetel 7075-T73 Aluminum
- **Data Collected:**
 - Residual Species Analysis (HP9-4-.30)
 - Compatibility Characterization Of Coated Materials
 - Cleaning Ability Demonstration (All)
 - Bonding Demonstration (HP9-4-.30)

GENCORP
AERQUET
ASPM Division**Task 2A - Cleaning Ability Test (Cont'd)**

Residual Species Analysis

- Purpose: To Demonstrate If Residual Species Remain On Cleaned Metal Surface

- Results:

<u>Agent</u>	<u>Particulate</u>	<u>NVR</u>
No Agent (Control)	.5	.6
Turco 3878 LF-NC	.3	.2
Daraclean 283	.6	.2
Blue Gold	0.0	.1

- All Three Removed Particulate And Provided Cleaner Base Metal Surface Than Media Blast

**GENCORP
AERODJET**

ASPM Division

Task 2A - Cleaning Ability Test (Cont'd)

Compatibility Characterization

- Purpose: To Demonstrate Effect Of Cleaning Solutions On Nozzle Metals

- Results:

Agent	<u>TSA Steel</u>	<u>Sermetel Aluminum</u>	<u>*Aluminum</u>
Turco 3878	-No Foaming	-No Reaction	-Lightly Tarnished
LF-NC	- Mild Staining Of Surface		
- Least Rust Color Under Surface Coat			
Blue Gold	- Moderate Foaming	-No Reaction	-Moderately Tarnished
	-Moderate Staining Of Surface		
- Rust Color Under Surface Coat			
Daraclean 283	- Heavy Foaming	-No Reaction	-Heavily Tarnished (Blackened)
	-Heavy Staining Of Surface		
-Most Rust Color Under Surface Coat			

* Data From Control Panel In Cleaning Ability Demonstration Test

**ENCORP
AEROSOL**
ASRM Division

Task 2A - Cleaning Ability Test (Cont'd)

Results Of Compatibility Characterization

- **Agents Compatible With SemeTel Coating**
- **Bare Aluminum Requires More Testing (Turco Best)**
 - Light To Heavy Smutting Caused By Agents
- **TSA Coatings Were Adversely Affected**
 - Surface Discoloration And Apparent Coating Loss And Rinse Water Which Over Time Caused Underlying Steel To Develop Corrosion

**LENICORP
AEROJET**

ASRM Division

Task 2A - Cleaning Ability Test (Cont'd)

Cleaning Ability Demonstration

- Purpose: To Demonstrate Ability To Clean HD-2 Grease
- Results:

Agent**Turco 3878 LF-NC**Observations**Blue Gold**

- Cleaning Progressed Significantly Entire 30 Minutes
- HP9-4-.30 And SermTel Panels Cleaned Except Holes In Panels Retained Grease
- TSA Panels Retained Grease In Pores And Surface

Daraclean 283

- Cleaning Progressed Entire 30 Minutes
- HP9-4-.30 And SermTel Panels Retained Visible Grease Over Surface And In Holes
- TSA Panels Retained Grease In Pores And Surface
- Cleaning Progressed Significantly Entire 30 Minutes
- HP9-4-.30 And SermTel Panels Cleaned Except Holes In Panels Retained Grease
- TSA Panels Retained Grease In Pores And Surface

INENCORP
AERONAUT

ASRM Division

Task 2A - Cleaning Ability Test (Cont'd)

Results

Cleaning Ability Demonstration

- **Three Agents Continued Cleaning 30 Minutes**
 - Blue Gold Less Vigorously
- **Turco And Daraclean Removed Surface Grease (Except TSA Coated Steel)**
 - Blue Gold Failed
- **Clumps Of Grease In Panel Holes Were Not Removed By Any Agents**

**

**GENCORP
AEROSPACE**

ASRM Division

Task 2A - Cleaning Ability Test (Cont'd)

Bonding Demonstration

- **Purpose: To Demonstrate Bonding Strength**
 - HP9-4-.30 Test Panels
 - Contaminant Was Conoco HD-2 Grease
 - Bond In Tension Testing (Chemlok 205 Primer - Chemlok 236A Adhesive - Kevlar Filled Insulation)

- **Results:**
 - All Samples Failed Cohesively In Insulation
 - Turco 3878 LF-NC Slightly Higher Strength Than Others
 - Test Data Summary:

<u>Agent</u>	<u>Mean Stress At Peak (PSI)</u>
Turco 3878 LF-NC	423
Blue Gold	412
Daraclean 283	406

INTECORP
AEROSOL

ASRM Division

Agent Selection

Task 2B - Case Cleaning Ability

- Purpose: To Verify Turco 3878 LF-NC Able To Clean
All Expected Potential Contaminants

- Success Criteria: To Remove Contaminants To
Levels That Do Not Interfere With
Specification Bond Strength

- **List Of Contaminants:**

- Conoco HD-2 Grease
- Hydraulic Fluid
- Corrosion Inhibitors:
 - Sodium Molybdate
 - Sodium Nitrite
 - Sodium Borate
 - Toltriazole
- Shop Marker Grease Pencil
- Trimsol Cutting Fluid
- Fingerprints
- Bugs Organic Residue
- Zinc Chromate Residue
- Nylon Residue
- Plastic Blast Media residue
- Volatile Corrosion Inhibitor Residue
- Camuba Wax (Tool Coating)
- Bird Droppings
- Trichlor Slurry
- Hydrocarbon Soot
- Road Dirt
- Shop Dirt
- EPDM Rubber Residue
- Thermal Protection Residue

18

GENCORP
AERODJET
ASRIM Division

Task 2B - Case Cleaning Ability (Cont'd)

Task 2B Results

	Cleanliness Measurements		Bond Strength	
	Particulate (Mg)	NVR (Mg)	*Mean OSSE	Button Pull Mean Stress At Peak (PSI)
Control	0.1	1.1		427
Fingerprints	0.1	1.3	Degraded	446
Hydraulic Fluid	0.2	1.0	Improved	438
Cutting Fluid	0.5	0.7	Degraded	447
Grease Pencil	0.6	0.7	Degraded	447
Bugs	0.5	1.0	Degraded	443
Zn Chromate	0.3	0.6	Improved	407
Corr Inhibitors	0.2	0.6	Degraded	431
Na Moly	0.5	1.1	Degraded	444
Nylon Residue	0.5	2.5	Degraded	427
Plastic Blast	0.5	1.0	Improved	432
VCI Film	0.5	0.7	Degraded	429
Camuba Wax	0.3	0.9	Degraded	423
Bird Droppings	0.3	0.6	Degraded	426
Trichlor Slurry	0.5	0.5	Degraded	428
HD-2 Grease	0.3	1.0	Degraded	437

*Comparison of OSSE Readings
Before Contamination Applied
And After Contamination Cleaned Off

**ENCORP
AERQUET**
ASRM Division

Task 2B - Case Cleaning Ability (Cont'd)

Task 2B Results (Cont'd)

- **Adequate Bond Strength Demonstrated For Turco 3878 LF-NC**
- **All Contaminants Removed Sufficiently**
- **All Samples Failed Cohesively In Rubber**
- **Small Bond Strength Variation
Considering Diversity Of Contaminants**
- **Chemlok Bonding Ability Must Be Factor**

**INTECORP
AERODJET**

ASRM Division

Agent Selection

Turco 3878 LF-NC Selected

- **Best Results Over Other Two Agents In
 - **Compatibility Characterization Testing**
 - **Bonding Demonstration****
- **Co-Winner With Daraclean 283 In HD-2 Grease Cleaning Ability Demonstration**
- **Co-Winner With Blue Gold In Residual Species Analysis**
- **Demonstrated Ability To Remove Wide Variety Of Potential ASRM Contaminants**

LENACORP
AERJET

ASRM Division

Process Optimization

Task 3 - Process Optimization

- **Purpose: To Evaluate The Sensitivity Of The Aqueous Cleaning Process To Changes In Parameters That Control The Process**
- **Taguchi Matrix Utilized**
- **Success Criteria: Identify Preliminary Target Process Settings And Functional Limits (NVR Cleanliness Levels Must Also Be Within Level Previously Demonstrating Successful Bonding)**
- **Bonding To Be Verified In Task 4 Utilizing Optimized Process Settings**
- **Task 3 Currently In Progress**

z

INCORP
AEROSPACE
ASPM Division

Task 3 Process Optimization (Cont'd)

Taguchi Matrix

21

**GENCORP
AEROMET**

ASRM Division

General Observations

- **Aqueous Cleaning Appears Effective For Steel And SermeTel Coated Metal**
- **Aqueous Cleaning Appears Unsuitable For Thermal Spray Aluminum Coatings**
- **Aqueous Cleaning Agents Apparently Stain And/ Or Attack Bare Aluminum To Various Extents (Effect Not Characterized)**
- **Aqueous Cleaning Appears To Remove Wide Variety Of Contaminants From Flat Surfaces, But Supplementary Assistance Needed To Remove Tenacious Contaminants From Holes**
- **Hot Rinse Water Appears To Be Beneficial To Aid Drying To Prevent Rapid Oxidation Of Bare Steel**

24

**GENCORP
AERODJET**
ASRM Division

ASRM Aqueous Cleaning Development

Summary

- **ASRM Process Development In Aqueous Cleaning Is Progressing Satisfactorily**
 - **Agent Selected**
 - **Optimization In Progress**
 - **Demonstrated At Lab Scale That Aqueous Cleaning Is Effective Alternative To Vapor Degreasing**
- ***We're Committed To Successful Full-Scale Factory Activation***

